

SCORE2

10 gadu kardiovaskulāro (KV) notikumu risks
(letālu un neletālu) pacientiem
ar ļoti augstu KVS risku.

Sievietes

	Nesmēķē				Smēķē			
160-179	27	28	30	31	41	42	44	46
140-159	22	23	24	26	34	36	37	39
120-139	18	19	20	21	28	30	31	33
100-119	15	16	16	17	23	24	26	27
160-179	20	21	22	24	33	35	37	39
140-159	16	17	18	19	27	29	30	32
120-139	12	13	14	15	22	23	25	26
100-119	10	11	11	12	17	18	20	21
160-179	14	15	17	18	26	28	31	33
140-159	11	12	13	14	21	23	24	26
120-139	8	9	10	11	16	18	19	21
100-119	7	7	8	9	13	14	15	16
160-179	10	11	12	14	21	23	25	28
140-159	8	9	9	11	16	18	19	22
120-139	6	6	7	8	12	13	15	17
100-119	4	5	5	6	9	10	11	13
160-179	7	8	9	10	16	18	21	23
140-159	5	6	7	8	12	14	15	17
120-139	4	4	5	6	9	10	12	13
100-119	3	3	4	4	7	8	9	10
160-179	5	6	7	8	13	15	17	19
140-159	4	4	5	6	9	11	12	14
120-139	3	3	3	4	7	8	9	10
100-119	2	2	2	3	5	6	6	7
	3.0-3.9	4.0-4.9	5.0-5.9	6.0-6.9	3.0-3.9	4.0-4.9	5.0-5.9	6.0-6.9

Ne-ABL holesterīns (mmol/L)

Sistoliskais asinsspiediens (mm Hg)

Zems <2%
Mērens ≥2% un <10%
Augsts ≥10% un <20%
Ļoti augsts ≥20%

Vīrieši

	Nesmēķē				Smēķē			
65 -69	26	28	30	32	36	39	42	44
	22	24	26	27	31	33	36	38
	18	20	21	23	26	28	30	33
	15	17	18	19	22	24	26	28
60-64	20	23	25	27	31	33	36	40
	17	19	20	22	25	28	31	33
	14	15	17	18	21	23	25	28
	11	12	14	15	17	19	21	23
55 - 59	16	18	20	23	25	28	32	35
	13	14	16	18	21	23	26	29
	10	11	13	15	17	19	21	24
	8	9	10	12	13	15	17	19
50 -54	12	14	16	19	21	24	28	31
	10	11	13	15	17	19	22	25
	7	9	10	12	13	15	17	20
	6	7	8	9	10	12	14	16
45 -49	9	11	13	16	17	20	24	28
	7	8	10	12	13	16	18	22
	5	6	8	9	10	12	14	17
	4	5	6	7	8	9	11	13
40 -44	7	9	11	13	14	17	20	24
	5	6	8	10	11	13	16	19
	4	5	6	7	8	10	12	14
	3	4	4	5	6	7	9	11
	3.0-3.9	4.0-4.9	5.0-5.9	6.0-6.9	3.0-3.9	4.0-4.9	5.0-5.9	6.0-6.9